The Mysore Gazette
PUBLISHED BY AUTHORITY

Vol. 85] BANGALORE, THURSDAY, FEBRUARY 2, 1950 [No.

# PART V

## SEASON REPORT FOR THE 4TH WEEK ENDING WITH THE TWENTY-EIGHTH SATURDAY IN JANUARY 1950.

(28th January 1950).

*Rainfall up to 8-30 a.m. on Saturday the 28th January 1950.*

| District and Station | This week | Last 35 years' average for the corresponding week | Up to the end of the week from 1st January 1950 — This year | Average of past 35 years | Excess (+) or deficit (−) of col. 4 compared with column 5 |
|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | In. c. | In. c. | In. c. | In. c. | In. c. |
| **BANGALORE.** | | | | | |
| Bangalore City and Taluk | 0 00 | 0 00 | 0 00 | 0 33 | −0 33 |
| Hoskote | 0 00 | 0 00 | 0 00 | 0 20 | −0 20 |
| Dodballapur | 0 00 | 0 02 | 0 00 | 0 25 | −0 25 |
| Nelamangala | 0 00 | 0 00 | 0 00 | 0 14 | −0 14 |
| Kankanhalli | 0 00 | 0 03 | 0 00 | 0 15 | −0 15 |
| Magadi | 0 00 | 0 01 | 0 00 | 0 22 | −0 22 |
| Channapatna | 0 00 | 0 02 | 0 00 | 0 16 | −0 16 |
| Anekal | 0 00 | 0 06 | 0 00 | 0 27 | −0 27 |
| Devanhalli | 0 00 | 0 03 | 0 00 | 0 35 | −0 35 |
| Ramanagaram | 0 00 | 0 00 | 0 00 | 0 14 | −0 14 |
| District Average | 0 00 | 0 02 | 0 00 | 0 22 | −0 22 |
| **KOLAR.** | | | | | |
| Kolar | 0 00 | 0 03 | 0 00 | 0 41 | −0 41 |
| Bangarapet | 0 00 | 0 05 | 0 00 | 0 40 | −0 40 |
| Chintamani | 0 00 | 0 04 | 0 00 | 0 28 | −0 28 |
| Mulbagal | 0 00 | 0 07 | 0 00 | 0 58 | −0 58 |
| Srinivasa Ghatta | 0 00 | 0 10 | 0 00 | 0 38 | −0 38 |
| Chikballapur | 0 00 | 0 15 | 0 00 | 0 40 | −0 40 |
| Bagepalli | 0 00 | 0 04 | 0 00 | 0 20 | −0 20 |
| Goribidnur | 0 00 | 0 04 | 0 00 | 0 21 | −0 21 |
| Malur | 0 00 | 0 01 | 0 00 | 0 38 | −0 38 |
| Srinivaspur | 0 00 | 0 09 | 0 00 | 0 40 | −0 40 |
| Gudibanda | 0 00 | 0 06 | 0 00 | 0 26 | −0 26 |
| District Average | 0 00 | 0 07 | 0 00 | 0 36 | −0 36 |
| **TUMKUR.** | | | | | |
| Tumkur | 0 00 | 0 04 | 0 00 | 0 11 | −0 11 |
| Madhugiri | 0 00 | 0 02 | 0 00 | 0 27 | −0 27 |
| Chiknayakanhalli | 0 00 | 0 00 | 0 00 | 0 08 | −0 08 |
| Sira | 0 00 | 0 03 | 0 00 | 0 24 | −0 24 |
| Gubbi | 0 00 | 0 01 | 0 00 | 0 09 | −0 09 |
| Tiptur | 0 00 | 0 01 | 0 00 | 0 05 | −0 05 |
| Pavagada | 0 00 | 0 03 | 0 00 | 0 21 | −0 21 |
| Koratagere | 0 00 | 0 00 | 0 00 | 0 12 | −0 12 |
| Kunigal | 0 00 | 0 05 | 0 00 | 0 19 | −0 19 |
| Turuvekere | 0 00 | 0 03 | 0 00 | 0 12 | −0 12 |
| District Average | 0 00 | 0 02 | 0 00 | 0 14 | −0 14 |
| **MYSORE.** | | | | | |
| Mysore | 0 00 | 0 02 | 0 00 | 0 14 | −0 14 |
| Chamarajnagar | 0 00 | 0 04 | 0 00 | 0 25 | −0 25 |
| Hunsur | 0 00 | 0 02 | 0 00 | 0 17 | −0 17 |
| Krishnarajnagar | 0 00 | 0 01 | 0 00 | 0 12 | −0 12 |
| Heggaddevankote | 0 00 | 0 02 | 0 00 | 0 28 | −0 28 |
| Gundlupet | 0 00 | 0 00 | 0 00 | 0 26 | −0 26 |
| Nanjangud | 0 00 | 0 02 | 0 00 | 0 18 | −0 18 |
| T.-Narsipur | 0 00 | 0 01 | 0 00 | 0 15 | −0 15 |
| Periyapatna | 0 00 | 0 02 | 0 00 | 0 17 | −0 17 |
| District Average | 0 00 | 0 02 | 0 00 | 0 19 | −0 19 |

*Rainfall up to 8-30 a.m. on Saturday ... 28th January 1950—concld.*

| District and Station | This week | Last 35 years' average for the corresponding week | Up to the end of the week from 1st January 1950 — This year | Average of past 35 years | Excess (+) or deficit (−) of col. 4 compared with column 5 |
|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| | In. c. | In. c. | In. c. | In. c. | In. c. |
| **MANDYA.** | | | | | |
| Mandya | 0 00 | 0 04 | 0 00 | 0 19 | −0 19 |
| Srirangapatna | 0 00 | 0 03 | 0 00 | 0 16 | −0 16 |
| Malvalli | 0 00 | 0 02 | 0 00 | 0 09 | −0 09 |
| Krishnarajpete | 0 00 | 0 00 | 0 00 | 0 16 | −0 16 |
| Nagamangala | 0 00 | 0 04 | 0 00 | 0 21 | −0 21 |
| Maddur | 0 00 | 0 00 | 0 00 | 0 14 | −0 14 |
| French-Rocks | 0 00 | 0 05 | 0 00 | 0 17 | −0 17 |
| District Average | 0 00 | 0 03 | 0 00 | 0 16 | −0 16 |
| **HASSAN.** | | | | | |
| Hassan | 0 00 | 0 07 | 0 00 | 0 15 | −0 15 |
| Manjarabad (Sakleshpur) | 0 00 | 0 05 | 0 00 | 0 16 | −0 16 |
| Arkalgud | 0 00 | 0 02 | 0 00 | 0 16 | −0 16 |
| Belur | 0 00 | 0 09 | 0 00 | 0 24 | −0 24 |
| Channarayapatna | 0 00 | 0 00 | 0 00 | 0 13 | −0 13 |
| Arsikere | 0 00 | 0 04 | 0 00 | 0 19 | −0 19 |
| Hole-Narsipur | 0 00 | 0 00 | 0 00 | 0 09 | −0 09 |
| Alur | 0 00 | 0 06 | 0 00 | 0 21 | −0 21 |
| District average | 0 00 | 0 04 | 0 00 | 0 16 | −0 16 |
| **SHIMOGA.** | | | | | |
| Shimoga | 0 00 | 0 00 | 0 00 | 0 18 | −0 18 |
| Channagiri | 0 00 | 0 01 | 0 00 | 0 09 | −0 09 |
| Honnali | 0 00 | 0 04 | 0 00 | 0 11 | −0 11 |
| Shikarpur | 0 00 | 0 00 | 0 00 | 0 03 | −0 03 |
| Sorab | 0 00 | 0 00 | 0 00 | 0 10 | −0 10 |
| Sagar | 0 00 | 0 00 | 0 00 | 0 11 | −0 11 |
| Nagar (Kallurkatte) | 0 00 | 0 00 | 0 00 | 0 10 | −0 10 |
| Tirthahalli | 0 00 | 0 00 | 0 00 | 0 15 | −0 15 |
| Bhadravati | 0 00 | 0 02 | 0 00 | 0 09 | −0 09 |
| District Average | 0 00 | 0 01 | 0 00 | 0 10 | −0 10 |
| **CHIKMAGALUR.** | | | | | |
| Chikmagalur | 0 00 | 0 03 | 0 00 | 0 20 | −0 20 |
| Kadur | 0 00 | 0 02 | 0 00 | 0 11 | −0 11 |
| Tarikere | 0 00 | 0 05 | 0 00 | 0 05 | −0 05 |
| Koppa | 0 00 | 0 01 | 0 00 | 0 23 | −0 23 |
| Mudgere | 0 00 | 0 01 | 0 00 | 0 16 | −0 16 |
| Narasimharajpura | 0 00 | 0 01 | 0 00 | 0 08 | −0 08 |
| Sringeri | 0 00 | 0 01 | 0 00 | 0 08 | −0 08 |
| District Average | 0 00 | 0 02 | 0 00 | 0 13 | −0 13 |
| **CHITALDRUG.** | | | | | |
| Chitaldrug | 0 00 | 0 11 | 0 00 | 0 29 | −0 29 |
| Challakere | 0 00 | 0 03 | 0 00 | 0 12 | −0 12 |
| Hiriyur | 0 00 | 0 04 | 0 00 | 0 15 | −0 15 |
| Holalkere | 0 00 | 0 04 | 0 00 | 0 15 | −0 15 |
| Davangere | 0 00 | 0 01 | 0 00 | 0 01 | −0 01 |
| Molakalmuru | 0 00 | 0 00 | 0 00 | 0 13 | −0 13 |
| Jagalur | 0 00 | 0 08 | 0 00 | 0 19 | −0 19 |
| Hosdurga | 0 00 | 0 02 | 0 00 | 0 08 | −0 08 |
| Harihar | 0 00 | 0 02 | 0 00 | 0 12 | −0 12 |
| District Average | 0 00 | 0 04 | 0 00 | 0 14 | −0 14 |
| Provincial Average | ... | ... | ... | ... | ... |

## STATEMENT SHOWING THE PRICES OF FOOD-GRAINS IN SEERS PER RUPEE AND MARKET FLUCTUATIONS IN PRICES OF FOODGRAINS FOR THE 3RD WEEK ENDING SATURDAY THE 28TH JANUARY 1950.

| | Kind of grains | This week | Past week | Past ten years' fortnightly average |
|---|---|---|---|---|
| | | Srs. | Srs. | Srs. |
| Bangalore | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 12·0 |
| | Kulthi | 2·8 | 2·8 | 6·0 |
| | Kadale | 2·4 | 2·4 | 6·0 |
| Kolar | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 8·0 |
| | Kulthi | 2·0 | 2·4 | 3·0 |
| | Kadale | 2·0 | 2·4 | 3·0 |
| Tumkur | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 8·0 |
| | Kulthi | 2·0 | 2·0 | 4·0 |
| | Kadale | 2·0 | 2·0 | 4·0 |
| Mysore | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 9·0 |
| | Kumbi | 3·0 | 3·0 | 9·0 |
| | Kadale | 2·0 | 2·0 | 8·0 |

| | Kind of grains | This week | Past week | Past ten years' fortnightly average |
|---|---|---|---|---|
| | | Srs. | Srs. | Srs. |
| Mandya | Rice, 2nd sort | 3·0 | 3·0 | 4·8 |
| | Ragi | 5·0 | 5·0 | 8·0 |
| | Kulthi | 2·8 | 2·8 | 7·0 |
| | Kadale | 1·4 | 1·4 | 3·0 |
| Hassan | Rice, 2nd sort | 3·0 | 3·0 | 5·0 |
| | Ragi | 5·0 | 5·0 | 6·0 |
| | Kulthi | 3·0 | 3·0 | 6·0 |
| | Kadale | 1·4 | 1·4 | 4·0 |
| Shimoga | Rice, 2nd sort | 3·0 | 3·0 | 5·97 |
| | Ragi | 5·0 | 5·0 | 18·07 |
| | Kulthi | 2·12 | 2·12 | 10·51 |
| | Kadale | 1·5 | 1·4 | ... |
| Chikmagalur | Rice, 2nd sort | Controlled rates | | |
| | Ragi | | | |
| | Kulthi | 2·8 | 2·8 | ... |
| | Kadale | 2·2 | 1·8 | ... |
| Chitaldrug | Rice, 2nd sort | 2·8 | 2·8 | 6·0 |
| | Ragi | 5·0 | 5·0 | 16·0 |
| | Kulthi | 3·0 | 3·0 | 14·8 |
| | Kadale | 1·4 | 1·4 | 7·0 |

Market now supplied.

Progress of agricultural operations, state of standing s, prospects and probable out-turn of the harvests, serious age done to crops by insects or other natural calamities. . Prospects of season, tracts in which rainfall has been fficient, areas affected by scarcity. Number of people under f and state of food stock.

. Remarks on the condition of agricultural stock e of pasturage of fodder, etc.

## BANGALORE (RURAL).

Well supplied.

(1) *Standing Crops.*—Paddy and sugarcane are in condition.

(2) *Harvests.*—Paddy is being harvested in parts of kote, Devanhally, Dodballapur, Channapatna and Aenkal ks. Harvesting of Ragi is commenced during the week.

(3) *Crops sown.*—Transplanting of paddy is going on in mangala and Hoskote Taluks.

. Good. Coolies find sufficient labour.

. Cattle are reported to be generally healthy. Water fodder are available.

## KOLAR.

Moderately supplied.

*Seeds sown.*—Vaisakhi paddy.

*Standing Crops.*—Avare, thogari, horsegram and sugarcane reported to be in good condition.

*Crops harvested.*—Avare, thogari, horsegram and sugarare being harvested.

. Reported to be fair. There was no rainfall during veek.

Fodder and water are available for cattle.

*Pubic Health.*—People and cattle are generally healthy or prevalence of Small-pox in some parts of Kolar and vasapur Taluks and Sidlaghatta Taluks. Preventive ure has been taken to check the spread of the epidemic he Public Health Department.

## TUMKUR.

Fairly well supplied.

*Seeds sown.*—Nil.

*Standing crops.*—Paddy and sugarcane are in good ition.

*Crops harvested.*—Ragi, avare, togari and groundnut.

*Public Health.*—Generally good except for prevalence of ue in Dibbadahalli and Makuvalli Villages in Chiknaikana- Taluk. It is reported that precautionary measures have taken to check the spread of the disease.

Cattle are reported to be generally healthy except for alence of Blackquarter in Katenahalli Village in Tumkur k. It is reported that precautionary measures have ted to check the spread of the disease.

Fodder and water are available.

Cooly classes find sufficient labour.

. Fair.

## MYSORE

It is reported that the markets are well supplied in e taluks of this District during the week.

*Seeds sown.*—Nil.

*nding crops.*—Such as paddy, ragi, avare and Bengal- are reported to be in good condition.

*ops harvested.*—It is reported that paddy in Mysore, angud, Chamarajanagar and T.-Narsipur Taluks and Ragi undlupet Taluk are being harvested.

. (1) Good.

(2) There was no rainfall in the District during the week.

(3) Nil.

(4) None under relief.

(5) Sufficient quantity of foodgrain is available throughout this District.

. Cattle are reported to be generally healthy. Sufficient ntity of water and fodder are available throughout the rict.

8. Well supplied.

9. *State of standing crops.*—The condition of the standing crops of paddy and sugarcane is reported to be good throughout the District.

Ragi and paddy are being harvested in some parts of the District.

10. Prospects of the season are reported to be fair.

11. Public health is reported to be generally good throughout the District except for the prevalence of cholera in Doddabuhalli and Hittanahalli Villages in Malavalli Taluk and Doddagodiganahalli in Krishnarajapet Taluk. Small-pox is also reported to be prevailing in Sindhaghatta in Krishnarajapet Taluk.

Effective preventive measures have been taken to check the spread of these epidemics.

Cattle are reported to be generally healthy. Water and fodder are available in sufficient quantities.

## HASSAN.

8. Well supplied.

*Crops sown.*—Nil.

*Standing crops.*—Sugarcane in Hassan, Arkalgud, Belur, Chennarayapatna and Alur Taluks; Bengalgram in Hassan, Arkalgud and Arsikere Taluks and avare in Chennarayapatna Taluk are reported to be generally in good condition.

9. *Crops harvested.*—Paddy in Hassan, Manjarabad, Belur, Arkalgud, Hole-Narsipur and Alur Taluks are being harvested.

10. Prospects of the season are reported to be fair.

11. Water and fodder are generally available for cattle. Cattle are reported to be generally healthy except for the prevalence of 'Rinderpest' in Thagare and Kusavare villages in Biccode Hobli in Belur Taluk and in Doddapura Village, Kasaba Hobli in Arkalgud Taluk. Remidial action is being taken by the Veterinary Department.

## SHIMOGA.

8. Generally well supplied.

9. Standing crops of Sugarcane, ragi and bengalgram are reported to be in good condition. Paddy, ragi, jola and horsegram are being harvested.

Sugarcane is being crushed in Bhadravati Taluk.

10. Prospects of the season is reported to be generally good. There is prevalence of plague in Channagiri Taluk. Preventive measures are reported to have been taken.

11. Cattle are healthy in all but Sagar Taluk. Foot and mouth disease is reported to have been prailing in Sagar Taluk. Preventive measures are reported to have been taken.

Water and fodder are available to cattle.

## CHIKMAGALUR.

8. Markets are fairly well supplied.

9. *Standing Crops*:—Sugarcane, jola, avare, kadale, jave- wheat, garlic, cotton and areca.

*Crops harvested*:—Paddy, ragi, sugarcane, kadale, avare, save, navane, horsegram and minor millets. Paddy is being thrashed in Mudgere Taluk.

10. Small-pox is prevailing at Basur, Hirenallur Hobli, Kudur Taluk. Preventive measures have been taken.

Small-pox and cholera which prevailed during the last week at Kallenahalli, Tarikere Taluk and in Tarikere Town, respectively, have subsided due to the preventive measures taken.

11. Cattle are generally healthy except for the prevalence of "Foot and Mouth" disease at Koove and Aramane Thalgur villages in Mudgere Taluk.

Prophylactic measures have been taken.

## CHITALDRUG.

8. Markets are reported to be well supplied except in controlled commodities.

9. *Sowing.*—Transplantation of paddy is reported to be going in some parts of Challakere Taluk.

*Standing Crops.*—The standing crops, *viz.*, beli jola, cotton, bengalgram, horsegram, wheat and paddy are reported to be in fair condition.

*Harvesting.*—Harvesting of paddy, thogari, groundnuts, jola and horsegram is reported to be in progress.

10. Cooly classes are finding sufficient labour throughout the District.

11. Cattle are reported to be generally healthy throughout the District.

Water and fodder are available.

RICE (2ND SORT), RAGI AND HORSEGRAM, AT THE SEVERAL TALUK HEADQUARTERS FOR THE 4TH WEEK ENDING SATURDAY, THE 28TH JANUARY 1950.

| District | Taluk | | *Quantity per rupee by the standard seer of 80 tolas* | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | *Rice, 2nd sort* | | *Ragi* | | *Horse-gram* | | *Kadale* | |
| | | | Srs. | Chs. | Srs. | Chs. | Srs. | Chs. | Srs. | Chs. |
| Bangalore | Bangalore | ... | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 4 |
| | Hoskote | ... | 3 | 0 | 5 | 0 | 2 | 0 | 2 | 0 |
| | Dodballapur | ... | 3 | 0 | 5 | 0 | 2 | 8 | 2 | 0 |
| | Nelamangala | ... | 3 | 0 | 5 | 0 | 3 | 0 | 2 | 4 |
| | Kankanhalli | ... | 3 | 0 | 5 | 0 | 2 | 0 | 2 | 0 |
| | Magadi | ... | 3 | 0 | 5 | 0 | 2 | 0 | 2 | 0 |
| | Uttanapatna | ... | 3 | 0 | 5 | 0 | 2 | 0 | 2 | 0 |
| | Anekal | ... | 3 | 0 | 5 | 0 | 2 | 0 | 2 | 0 |
| | Devanhalli | ... | 3 | 0 | 5 | 0 | 2 | 8 | 2 | 0 |
| | Ramanagaram | ... | 3 | 0 | 5 | 0 | 2 | 0 | 2 | 0 |
| Kolar | Kolar | ... | 3 | 0 | 5 | 0 | | | 2 | |
| | Bangarapet | ... | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 4 |
| | Chintamani | ... | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 4 |
| | Mulbagal | ... | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 4 |
| | Sidlaghatta | ... | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 4 |
| | Chikballapur | ... | 3 | 0 | 5 | 0 | 3 | 4 | 2 | 4 |
| | Bagepalli | ... | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 4 |
| | Goribidnur | ... | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 4 |
| | Malur | ... | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 4 |
| | Srinivaspur | ... | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 4 |
| | Gudibanda | ... | 3 | 0 | 5 | 0 | 2 | 4 | 2 | 4 |
| Tumkur | Tumkur | ... | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Madhugiri | ... | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Chiknayakanhalli | ... | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Sira | ... | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Gubbi | ... | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Tiptur | ... | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Pavagada | ... | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Kunigal | ... | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Koratagere | ... | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| | Turuvekere | ... | 3 | 0 | 5 | 0 | 2 | 0 | ... | |
| Mysore | Mysore | ... | 3 | 0 | 5 | 0 | 3 | 0 | ... | |
| | Chamarajnagar | ... | 3 | 0 | 5 | 0 | 2 | 12 | ... | |
| | Hunsur | ... | 3 | 0 | 5 | 0 | 3 | 0 | ... | |
| | Krishnarajnagar | ... | 3 | 0 | 5 | 0 | 2 | 12 | ... | |
| | Heggaddevankote | ... | 3 | 0 | 5 | 0 | 2 | 12 | ... | |
| | Gundlupet | ... | 3 | 0 | 5 | 0 | 3 | 0 | ... | |
| | Nanjangud | ... | 3 | 0 | 5 | 0 | 3 | 0 | ... | |
| | T.-Narasipur | ... | 3 | 0 | 5 | 0 | 3 | 0 | ... | |
| | Periyapatna | ... | 3 | 0 | 5 | 0 | 3 | 0 | ... | |
| Mandya | Mandya | ... | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Srirangapatna | ... | 3 | 0 | 5 | 0 | 3 | 0 | 2 | 0 |
| | Malvalli | ... | 3 | 0 | 5 | 0 | 2 | 12 | 1 | 4 |
| | Krishnarajpet | ... | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Nagamangala | ... | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 4 |
| | Maddur | ... | 3 | 0 | 5 | 0 | 2 | 12 | 1 | 4 |
| | French-Rocks | ... | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 6 |
| Hassan | Hassan | ... | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 4 |
| | Manjarabad | ... | 3 | 0 | 5 | 0 | 2 | 4 | 1 | 4 |
| | Arkalgud | ... | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Belur | ... | 3 | 0 | 5 | 0 | 4 | 0 | 1 | 4 |
| | Channarayapatna | ... | 3 | 0 | 5 | 0 | 4 | 0 | 1 | 4 |
| | Arsikere | ... | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Hole-Narsipur | ... | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 8 |
| | Alur | ... | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 4 |
| Shimoga | Shimoga | ... | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 2 |
| | Channagiri | ... | 3 | 0 | 5 | 0 | 4 | 0 | 2 | 0 |
| | Honnali | ... | 3 | 0 | 5 | 0 | 3 | 4 | 1 | 4 |
| | Shikarpur | ... | 3 | 0 | 5 | 0 | 2 | 8 | 1 | 4 |
| | Sorab | ... | 3 | 0 | 5 | 0 | 2 | 4 | 1 | 2 |
| | Sagar | ... | 3 | 0 | 5 | 0 | 3 | 0 | 1 | 2 |
| | Nagar | ... | 3 | 0 | 5 | 0 | 1 | 4 | 1 | 4 |
| | Tirthahalli | ... | 3 | 0 | 5 | 0 | 2 | 8 | 2 | 0 |
| | Bhadravathi | ... | 3 | 0 | 5 | 0 | 3 | 4 | 1 | 8 |
| Chikmagalur | Chikmagalur | ... | | | | | 2 | 8 | 2 | 2 |
| | Kadur | ... | | | | | 2 | 4 | 1 | 4 |
| | Tarikere | ... | Controlled rates | | | | 3 | 0 | 1 | 4 |
| | Koppa | ... | | | | | 2 | 8 | 1 | 4 |
| | Mudgere | ... | | | | | 3 | 8 | 2 | 0 |
| | Narasimharajapura | ... | | | | | 2 | 8 | 1 | 4 |
| | Sringeri | ... | | | | | 3 | 0 | 1 | 4 |
| Chitaldrug | Chitaldrug | ... | 3 | 8 | 5 | 0 | 3 | 0 | ... | |
| | Challakere | ... | 2 | 8 | 5 | 0 | 2 | 12 | ... | |
| | Hiriyur | ... | 3 | 0 | 5 | 0 | 2 | 8 | ... | |
| | Holalkere | ... | 2 | 8 | 5 | 0 | 2 | 8 | ... | |
| | Davangere | ... | 2 | 8 | 5 | 0 | 3 | 0 | ... | |
| | Molakalmuru | ... | 2 | 8 | 5 | 0 | 3 | 0 | ... | |
| | Hagalur | ... | 2 | 8 | 5 | 0 | 3 | 0 | ... | |
| | Hosdurga | ... | 2 | 8 | 5 | 0 | 3 | 0 | ... | |
| | Harihar | ... | 3 | 0 | 5 | 0 | 3 | 0 | ... | |

OFFICE OF THE REVENUE COMMISSIONER IN MYSORE

V. VEDAVYAS ACHARYA,
*Revenue Commissioner.*

Bangalore.
Dated 31st January 1950.

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE, WEEK ENDED THURSDAY, THE 26TH JANUARY 1950.

A total of 9 attacks with 3 deaths from Plague were returned from 4 villages in 3 taluks in 2 districts during the week against 7 attacks with 4 deaths in the previous week. Cities of Bangalore and Mysore reported 1 attack with nil death and nil attack with nil death, respectively, while Kolar Gold Field Area reported free from plague. Comparative figures for the corresponding week in 1949 and 1948 were 4 attacks with 27 deaths and 69 attacks with 21 deaths respectively.

A total of 115 attacks with 19 deaths from Small-pox were reported from Bangalore City, Kolar Gold Field and from Anekal, Bowringpet, Chintamani, Goribidnur, Hoskote, Krishnarajapet, Krishnarajanagar, Malur, Madhugiri, Ramanagaram, and Srinivassapur Taluks.

Six attacks with 5 deaths from Cholera were reported from Bangalore City, Maddur, Seringapatam and Tarikere Taluks.

The State remained free from Influenza and Relapsing fever.

The total mortality for Bangalore City amounted to 148 (4 in hospitals) for 7 days representing a calculated death-rate of 24·1 (17·0 excluding hospital deaths) per mille of population (annual basis) as against 22·0 for the corresponding week of last year. Classified according to causes the deaths numbered 3 under Small-pox, 1 under Malaria, 1 under Typhoid, 3 under Other Fevers, 5 under Phthisis, 9 under Dysentery and Diarrhœa and 126 under All Other Causes. The reported mortality was normal.

During the week the Civil Station, Bangalore, returned 67 deaths (11 in hospitals) for 5 days representing a calculated death-rate of 27·0 (22·6 excluding hospital deaths) per mille of population (annual basis) as against 21·2 for the corresponding week of last year. Classified according to causes, the deaths were: Small-pox 1, Broncho Pneumonia 7, Phthisis 2, Pneumonia 1, Dysentery and Diarrhœa 16 and All Other Causes 40.

The total mortality for Mysore City was 35 (10 in hospitals) for 5 days representing a calculated death-rate of 13·4 (9·7 excluding hospital deaths) per mille of population (annual basis) as against 14·2 for the corresponding week of last year. Classified according to causes the deaths were: Malaria 1, Other Fevers 3, Phthisis 3, Dysentery and Diarrhœa 2 and All Other Causes 26. The reported mortality was very very low.

There were 9 deaths (nil in hospital) for 4 days from all Causes in Kolar Gold Field Area equivalent to a calculated death-rate of 4·6 (4·6 excluding hospital deaths) per mille of population (annual basis) as against 12·5 for the corresponding week of last year. Classified according to causes, the deaths numbered: 2 under Dysentery and Diarrhœa and 7 under All Other Causes. The reported mortality was very very low.

T. CHANDRASEKHARAIYA,
*Director.*

5276

## OFFICE OF THE DIRECTOR OF INDUSTRIES AND COMMERCE IN MYSORE, BANGALORE.

No. C3. Per. W4-19-20-49-50.

STATEMENT OF COTTON PRESSED IN THE MYSORE STATE FOR THE WEEKS ENDING 6th, and 13th January 1950.

[Section 5 (ii) of the Cotton Ginning and Pressing Factories Act, 1929]

| Name of Division or Block | | *Number of Bales pressed* | | | | |
|---|---|---|---|---|---|---|
| | | *During the week* | *During the corresponding week of last year.* | *Since the commencement of the season, 1st September 1949.* | *During the corresponding period of last year.* | *Remarks* |
| 1 | | 2 | 3 | 4 | 5 | 6 |
| Mysore | Weeks ending 6—1—1950 ... | Nil | 20 | 3,511 | 5,510 | ... |
| | 13—1—1950 ... | 103 | 390 | 3,614 | 5,900 | ... |

BANGALORE,
Dated 17th January 1950.
5217

N. V. SIDDALINGAPPA,
For *Director.*

## IN MYSORE, BANGALORE.

### FORM A.

MONTHLY OF ALL COTTON GOODS MANUFACTURED IN THE COTTON MILLS IN THE MYSORE STATE DURING THE MONTH ENDING 31ST DECEMBER 1949.

| *Description of goods* | *Weight in pounds* | *Yards or dozens* |
|---|---|---|
| **PART I.** | | |
| GREY AND BLEACHED PIECE-GOODS. | | |
| *(To be reported in pounds and yards.)* | | |
| Chadars | 130,962 | 271,375 |
| Dhoties | 142,048 | 591,293 |
| Drill and jeans | 95,606 | 201,233 |
| Cambrics and lawns | -- | -- |
| Printers | .. | .. |
| Shirtings and longcloth | 314,155 | 1,306,294 |
| T. cloth, domestic and sheeting | .. | -- |
| Tent cloth | -- | .. |
| Khadi, dungri or Khaddar | 38,588 | 82,022 |
| Other sorts | 185,571 | 501,119 |
| **PART II.** | | |
| COLOURED PIECE-GOODS. | | |
| *(To be reported in pounds and yards.)* | | |
| Chadars | .. | .. |
| Lungis and dhoties | .. | .. |
| Drills and jeans | 62,419 | 128,040 |
| Greys, dyed | 4,732 | 11,348 |
| Coloured striped sarees and susis | 33,757 | 141,649 |
| Cotton tweeds and checks | 132,848 | 468,205 |
| Other sorts | 426,580 | 1,278,632 |
| **PART III.** | | |
| Y AND COLOURED GOODS OTHER THAN PIECE-GOODS. | | |
| *be reported in pounds and dozens and ey bleached and coloured goods of ch description to be distinguished).* | 36,623 | 4,908 |
| **PART IV.** | | Dozs. |
| HOSIERY. | | |
| *To be reported in pounds and dozens)* | 22,107 | 8,450 |
| **PART V.** | | Dozs. |
| MISCELLANEOUS COTTON GOODS. | | |
| *(To be reported in pounds only)* .. | -- | -- |
| **PART VI.** | | |
| TON GOODS MIXED WITH SILK OR WOOL. | | |
| *(To be reported in pounds only.)* | 269 | .. |
| Total | 1,620,265 | 4,981,210 yards. 13,358 Dozens. |

### FORM B.

URN SHOWING THE DESCRIPTION AND WEIGHT OF ALL YARN SPUN IN THE COTTON MILLS IN THE MYSORE STATE DURING THE MONTH ENDING 31ST DECEMBER 1949.

| *nt of yarn* | *Weight in pounds of each count* lbs. | | *Count of yarn* | *Weight in pounds of each count* lbs. |
|---|---|---|---|---|
| 1·08s | 6,951 | Waste yarn | 19s | 65,073 |
| 1·25s | 20,312 | do | 20s | 754,771 |
| 2s | 524 | do | 21s | 59,117 |
| 8s | 1,149 | | 22s | 87,464 |
| 10s | 373,867 | | 24s | 208,489 |
| 11s | 130,910 | | 28s | 1,953 |
| 12s | 10,600 | | 30s | 46,948 |
| 14s | 288,657 | | 32s | 62,079 |
| 15s | 58,196 | | 34s | 494 |
| 16s | 35,531 | | 36s | 64,804 |
| 18s | 2,689 | | 40s | 41,760 |
| | | | 42s | 90,240 |
| | | | 44s | 5,750 |
| | | | 2/20s | 329 |
| | | Total | | 2,418,657 |

BANGALORE,
ted 23rd January 1950.

N. V. SIDDALINGAPPA,
*For Director.*

5382

## METEOROLOGICAL DEPARTMENT.

### MONTHLY MEANS OF 8-30 A.M. METEOROLOGICAL OBSERVATIONS FOR DECEMBER 1949.

| | *Bangalore* | *Mysore* | *Hassan* |
|---|---|---|---|
| *Height of Observatory above mean sea level* | 3,021 ft. | 2,518 ft. | 3,149 ft. |
| Pressure in millibar (red. to 32° F.) and to Standard gravity. | 912·6 | 928·6 | 908·1 |
| Departure from normal | —0·1 | —0·4 | —0·5 |
| Temperature in shade :— | | | |
| Dry Bulb | 63·3 | 65·6 | 61·7 |
| Departure from normal | —0·5 | —1·3 | —3·4 |
| Max. | 78·7 | 81·1 | 80·5 |
| Departure from normal | 0 | +0·2 | +1·2 |
| Min. | 56·8 | 59·2 | 56·0 |
| Departure from normal | —1·2 | —2·0 | —0·6 |
| Wet Bulb | 58·7 | 60·1 | 54·5 |
| Departure from normal | —1·9 | —2·3 | —5·4 |
| Temperature in open space :— | | | |
| Max. in the Sun | 122·8 | .. | .. |
| Min. on Grass | 52·6 | .. | .. |
| Relative Humidity | 76 | 72 | 79 |
| Departure from normal | —7 | —5 | —8 |
| Rainfall (Total) | 0·00 | 0·00 | 0·00 |
| Departure from normal | —0·44 | —0·37 | —0·65 |
| Wind Direction | N 80° E | N59° E | S 83° E |
| Velocity (miles per hour) | 7 | 9 | 6 |
| Departure from normal | +1 | —0 | +1 |
| Cloud in cents | 43 | 33 | 29 |
| Departure from normal | 0 | —9 | —10 |
| Daily Hours of Bright Sunshine | 8·8 | .. | .. |
| Departure from normal | +1·3 | .. | .. |

| | *Chitaldrug* | *Bale-honnur* | *Nandi Hill* |
|---|---|---|---|
| *Height of Observatory above mean sea level* | 2,405 ft. | 2,917 ft. | 4,851 ft. |
| Pressure in millibar (red. to 32° F.) and to Standard gravity | 932·2 | .. | .. |
| Departure from normal | +0·6 | .. | .. |
| Temperature in shade :— | | | |
| Dry Bulb | 67·6 | 65·0 | 60·0 |
| Departure from normal | —0·2 | —0·2 | .. |
| Max. | 81·7 | 79·6 | 68·7 |
| Departure from normal | +0·3 | +0·5 | .. |
| Min. | 61·1 | 56·1 | 52·9 |
| Departure from normal | —0·2 | —3·1 | .. |
| Wet Bulb | 60·8 | 59·0 | 53·6 |
| Departure from normal | —1·0 | —1·8 | .. |
| Temperature in open space :— | | | |
| Max. in the Sun | .. | .. | .. |
| Min. on Grass | .. | .. | .. |
| Relative Humidity | 67 | 70 | 66 |
| Departure from normal | —4 | —9 | .. |
| Rainfall (Total) | 0·00 | 0·00 | 0·00 |
| Departure from normal | —0·52 | —0·49 | —0·21 |
| Wind Direction | S 68°W | .. | .. |
| Velocity (miles per hour) | 6 | .. | .. |
| Departure from normal | —1 | .. | .. |
| Cloud in cents | 27 | .. | .. |
| Departure from normal | —25 | .. | .. |
| Daily Hours of Bright Sunshine | .. | .. | .. |
| Departure from normal | .. | .. | .. |

BANGALORE,
Dated 24th January 1950

T. V. RAMACHANDRA AIYAR,
*Meteorologist.*

5439

Printed by the Director of Printing, Stationery and Publications at the Government Press, Bangalore.